

K12, K24 & K50 PREMIUM, the tempering machine



K12, K24 & K50 PREMIUM

THERMIC SELF-BALANCING

Automatic control system to operate the temperature in accordance with the quantity of product inside the machine.

SHEET RESISTANCE HEATING SYSTEM

The patented sheet resistance heating system allows for precise chocolate temperature control avoiding an unpleasant exit from the tempering.

SWITCHING OFF

The machine doesn't stop immediately at the signal but detects automatically the exit from the tempering before the interruption of the operation. The restart of the service is thus facilitated.

HEATED FLAT TABLE

- The vibration eliminates air which allows the chocolate to be packed into the moulds.
- Easily removable for cleaning.



TEMPERATURE CONTROL

Due to the viscosity in chocolate, it is very difficult to monitor changes in the temperature. In the **K12**, **K24** and **K50 PREMIUM** an algorithm controls the new generation probes that detect the temperature within a tenth of degree accuracy and keeps steady temperature at the heart of the chocolate.

DELAYED START

It is possible to program start after a preset period to have melted or temper chocolate when you need it.

AUGER SCREW

The auger screw is made in stainless steel which helps to prevent wear over time and its movement can be reversed to facilitate the cleaning.

FURTHER ADVANTAGES

- Programmable volumetric pedal dispenser.
- Eapid emptying of the tank for cleaning.
- Back pipe for chocolate outflow.

Accessories

Magic Carpet Premium: Coating Belt for Partial or Total Covering*

- The coating belt has three sections allowing for partial or total covering of the product.
- Air flow, for removing the chocolate in excess.
- Adjustable coating belt speed by inverter and exit area with adjustable tail cutting in speed and height to avoid waste.
- It is possible to stop the loading area of the trolley for precise positioning of the product.
- The coating area has an adjustable vibration system for dripping the chocolate.
- Equipped with a release system for the unclean part of the chocolate for washing in the dishwasher.
- The «Easy Cut System» allows for a quick and easy paper cut avoiding any slowdown in the couverture cycle or damage to the coating belt.
- Clutch to avoid the break of the conveyor belt during the turn on.
- Do-it-yourself replacing of the metallic net possible thanks to the patented quick system.





Partner at your side around the world.

HEADQUARTERS Bravo S.p.A.

Montecchio Maggiore Vicenza, Italy

Ph.: +39 0444 707700 Email : info@bravo.it www.bravo.it

Technical Features

Max tank capacity [kg] 12 24 50 Suggested min quantity [kg] 6 8 8 Max power [kW] 3 4,6 6,4 Medium power [kW]* 1,7 2,3 3 Voltage / Phase / Frequency 400 ∨ √3+N √50 ** ** Absorption [A] 4,3 8 12 Power socket [A] 16 ** Freon R404A ** Cooling system Alz r WATEX ** Width [A] 42,5 54,5 54,5 Width with flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight Magic Carpet [kg] 60 60 60 Weight wibth vibrating table [kg] 12 12,5		K12	K24	K50	
Max power [kW] 3 4,6 6,4 Medium power [kW]* 1,7 2,3 3 Voltage / Phase / Frequency 400 V / 3+N / 50 ** ** Absorption [A] 4,3 8 12 Power socket [A] 16 ** Freon R404A ** Cooling system AJR or WATER ** Width [A] 42,5 54,5 54,5 Width with flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 178 Depth [D] 73 73 90,5 99 99 99 Height CHOCOLATE table [E] 99 99 99 99 Height Magic Carpet [C] 25 25 25 Width Magic Carpet [G] 105,5 105,5 105,5 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight [Magic Carpet [kg] 60 60 60	Max tank capacity [kg]	12	24	50	
Medium power [kW] * 1,7 2,3 3 Voltage / Phase / Frequency 400 V / 3+N / 50 ** 4 Absorption [A] 4,3 8 12 Power socket [A] 16 16 Freon R404A AIR or WATER Cooling system AIR or WATER Width [A] 42,5 54,5 54,5 54,5 Width With flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Suggested min quantity [kg]	6	8	8	
Voltage / Phase / Frequency 400 V / 3+N / 50 ** Absorption [A] 4,3 8 12 Power socket [A] 16 Freon R404A Cooling system AIR or WATER Width [A] 42,5 54,5 54,5 Width with flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [C] 25 25 25 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Max power [kW]	3	4,6	6,4	
Absorption [A] 4,3 8 12 Power socket [A] 16 Freon R404A Cooling system All TOWATEN Width [A] 42,5 54,5 54,5 54,5 Width with flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [C] 25 25 25 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Medium power [kW] *	1,7	2,3	3	
Power socket [A] 16 Freon R404A Cooling system AIR or WATER Width [A] 42,5 54,5 54,5 Width with flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Voltage / Phase / Frequency	400	400 V / 3+N / 50 **		
Freon R404A Cooling system AIR or WATER Width [A] 42,5 54,5 54,5 Width with flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Absorption [A]	4,3	8	12	
Cooling system AIR or WATER Width [A] 42,5 54,5 54,5 Width with flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Power socket [A]		16		
Width [A] 42,5 54,5 54,5 Width with flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Freon	R404A			
Width with flat vibrating table [B] 80.5 80.5 80.5 Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Cooling system	AIR or WATER			
Width with Magic Carpet [C] 178 178 178 Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Width [A]	42,5	54,5	54,5	
Depth [D] 73 73 90,5 Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Width with flat vibrating table [B]	80.5	80.5	80.5	
Height CHOCOLATE table [E] 99 99 99 Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Width with Magic Carpet [C]	178	178	178	
Height Magic Carpet [F] 105,5 105,5 105,5 Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Depth [D]	73	73	90,5	
Width Magic Carpet [C] 25 25 25 Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Height CHOCOLATE table [E]	99	99	99	
Total height [G] 155 153 153 Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Height Magic Carpet [F]	105,5	105,5	105,5	
Weight [kg] 145 178 195 Weight Magic Carpet [kg] 60 60 60	Width Magic Carpet [C]	25	25	25	
Weight Magic Carpet [kg] 60 60 60	Total height [G]	155	153	153	
	Weight [kg]	145	178	195	
Weight vibrating table [kg] 12 12,5 12,5	Weight Magic Carpet [kg]	60	60	60	
	Weight vibrating table [kg]	12	12,5	12,5	

* only for the machine in the maintenance phase and without external users ** also available in single phase 230V / 1 + N / 50

Bravo branches in the world:

BRAVO FRANCE

Zac Les Radars Immeuble La Multitech 13, Rue Jean Jacques Rousseau 91350 Grigny - France

Ph.: +33 01 69 43 50 50 bravofrance.fr info@bravofrance.fr

BRAVO ASIA

16, Jalan Kilang Timor #02-03 Redhill Forum Singapore 159308

Ph.:+65 62 71 72 30 bravo.asia info@bravo.asia

BRAVO NORTH AMERICA

810 Tyvola Road, Suite 130 Charlotte, NC 28217

Ph.: +1 980 237 2474 bravonorthamerica.com info@bravonorthamerica.com

BRAVO DEUTSCHLAND

Briennerstraße 55 80333 München

info@bravodeutschland.de Ph.: +49 160 1007072

BRAVO MIDDLE EAST

PO Box 16111 Ras Al Khaimah <u>United Arab E</u>mirates

info@bravomiddleast.com Ph.: +971 559 896516

CHOCOLATE K12 - K24 - K50

